**Receiving Report** Batch No: 123483 Date: Dart P/O: Supplier: Release Note Attached: Yes Packing Slip: Yes Waybill Attached Shipment Complete QC6 Inspection Invoice: Yes Yes Receipt: Cash No 2 N/A Work Order N/A 🚾 Discrepancies Quantity Quantity Quantity Quantity Part Description **Comments** Number Ordered Received Short Returned Ø Gov C Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing Initial H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

## Purchase Order Receipt Listing

Monday, October 29, 2012 7:46:47 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO18225 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

	^	10	a	8		<b>\</b>	~	ع	<del>5.</del>
Book Amt	\$25.43		\$29.29	\$126.11	\$29.50	\$36.62	\$52.89	\$854.36 £ Y	\$364.73
MRB Qty/ MRB Reject Qty	0	0	0	0	0 0	0 0	0 0	0 0	0 0
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Cost Per Unit/ Recv Value	\$1.06	\$25.43	\$1.22	\$0.62	\$2.46	\$3.05	\$4.41	\$2.22 \$854.36	\$7.60 \$364.73
Recv Qty (PO U/M)	24.0000		24.0000	204.0000	12.0000	12.0000	12.0000	384.0000	48.0000
			1						
Recv Date/ Recv Emp	10/30/2012 10/29/2012	DESJ02	10/30/2012 10/29/2012 24.0000 DESJ02	10/30/2012 10/29/2012 204.0000 DESJ02	10/30/2012 10/29/2012 12.0000 DESJ02	10/30/2012 10/29/2012 12.0000 DESJ02	10/30/2012 10/29/2012 12.0000 DESJ02	10/30/2012 10/29/2012 384.0000 DESJ02	10/30/2012 10/29/2012 48.0000 DESJ02
Required Date Required Qty	10/30/2012	24.0000	10/30/2012	10/30/2012 204.0000	10/30/2012	10/30/2012	10/30/2012	10/30/2012 384.000	10/30/2012 48.0000
PO U/M / Stock U/M	Thyssenkrupp Materials CA Ltd								
Reference/ Description/ Cert Std	VC-COP001 Thyssenk	6061-T6 Round Bar 1 .375"	M6061T6R0.500 f 6061-T6 Round Bar f .500"	123483 -M6061T6R0.563 f 6061-T6 ROUND f BAR .563	123483 M6061T6R1.000 f ROUND BAR 1.00" f	M6061T6R1.250 f 6061-T6 Round Bar f 1.250 123483	M6061T6R1.500 f 6061-T6 Round Bar f 1.50 123483	M6061T6S.032 sf 6061 <sup>-</sup> T6 Sheet 0.032" sf 123483	M304B0.250X4.000 f 304 BAR .250 x 4.00 f 123483
Project ID									ě.
Line Nbr/ Insp Req	dor Name 1	No	2 No	3 No	4 No	5 No	9 No	7 No	∞ <sup>o</sup> Z
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO18225 1	CAD				Q.		5	3.

( 1
$^{\text{ot}}$
_
$^{\prime}$
ge
8
~``

Deel. Amt	BOOK AIIIT	720.0000	0.0000	0.0000	\$1,518.93	0.0000
	MRB Reject Qty	Juantity:	O U/M):	Juantity:	ot Value:	Quantity:
	Cost Per Unit/ Inspected Qty/ MKB Reject Recv Value Rejected Qty MRB Reject (PO U/M) Qty	Total Received Quantity:	Total Qty to Inspect (PO U/M):	Total Reject Quantity:	Total Receipt Value:	Fotal Balance Due Quantity:
	Cost Per Unit/ Recv Value		Total			To
	Recv Qty (PO U/M)					
	Recv Date/ Recv Emp					
	Required Date Required Qty					;
	PO U/M / Stock U/M					
	Reference/ Description/ Cert Std					
	Project ID					
	Line Nbr/ Insp Req					
	Purchase Order ID/ Curr Type					

1 ....Continued ъgde∶ LI TI8227 SOT 79607 SDa / Quantity л. Бел. Heat Number MF TBS 1.250" DIA X 144.0000" ALUMINUM ROUND BAR 6061-T6511 2) Ont Order PEC-502927- 5 Your PO # 18225 IS T IS EL 977877 0ET T9607 MF TB2 Quantity Tag No Heat Number **DC**2 1.000 TA4.0000" ALUMINUM ROUND BAR 6061-T6511 4) OUR Order PEC-502927- 4 Your PO # 18225 SO4 FT T9 LΤ TT8525 160702102 ₹MF rBg Quantity Heat Number **BG**2 Tag No .562" DIA X 144.0000" ALUMINUM ROUND BAR 6061-T6511 3) Ont Order PEC-502927- 3 Your PO # 18225 TT8554 IJZOI **DC**2 Quantity Heat Number "0000.441 X AIG "02. ALUMINUM ROUND BAR 6061-T6511 3) OUR Order PEC-502927- 2 Your PO # 18225 Z4 FI 7 118223 **TITORITIE** Quantity Tag No **DG**2 Heat Number "375" DIA X 144.0000" ALUMINUM ROUND BAR 6061-T6511 J) OUR Order PEC-502927- 1 Your PO # 18225 THUBING O E BIPP Tel: 613-632-9577 Fax: 613-632-1053 HAWKESBURY, ON KGA 1K7 HYMKESBURY, ON KGA 1K7 1270 ABERDEEN ST 1270 ABERDEEN ST DART AEROSPACE DART AEROSPACE :OI did2 (20115) :oT blos **SLYN** INEKS (802-235-1320) Trailer листе 1 Manifest -0 Route Tel: 905 669 9444 Fax: 905-738-9033 PREPAID Fr СОИСОКЪ' ₽¥K 2Ce OIAATNO COMCORD EOB Via 2821 LANGSTAFF ROAD VI TRANSFER Probill THYSSEUKRUPP MATERIALS NA Ship Date SEOCETS OF 9:09 From PFW SUID ELOW: :ON LADING O E BILLL

**BTAQ** 

NOIGET# 1012392081 10001 TERRETTYNNET # 110393004 BL0001 BEÇN EN BONNE CONDILIONS / BECEINED IN GOOD CONDILION

TOUTES ERREURS ETVOU MARCHANDISES MANQUANTES DOIVENT ETRE

REPORS DE SAPPORTÉES IMMÉDIATEMENT

FRAGRA OD SHORTSES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVEL NUMBER.

**d**TS 21AN IVERS (905-532-1350) AUCTE Trailer Route 0 Manifest -0 Tel: 905 669 9444 Fax: 905-738-9033 Frt PREPAID OIAATNO T√K 2Ge LOB COMCORD **7871 TYMCSIVEE KOYD** VI TRANSFER Via THYSSENKRUPP MATERIALS NA Probill Ship Date 9:09 From PFW 260ct12 at P D I M G OE BILL **DEC 19228** : OM

:oT blos

DART AEROSPACE

DART AEROSPACE :OI did2

CONCORD,

Ship From:

### BIPP

ALUMINUM ROUND BAR 6061-T6511 e xonk bo # 18225 e) ont order PEC-502927-

Heat Number 1.50" DIA X 144.0000"

Z1079700Z 118228 Tag No

.250" X 4.00" X 144.0000" STAINLESS STEEL FLAT BAR 304L SLIT/EDGED 1) OUR Order PEC-502927- 7 Your PO # 18225

Tag No Heat Number

**TT8529** 885858

: JATOT

82

**BG**2

**bcs** 

sbe.t.

TH 84

12 FT

(SULTS)

Quantity

Quantitry

882

**PBS** 

PBS

MF TB2

\*\*\* Chemical Analysis \*\*\*

885858 90T 79607 0ET T9607 160702102 INZOI **IIZOZIZIB** Heat Number

Z70Z9Z00Z

TO SHIPPING. WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR WITT LEZL KEDOKLZ' DYCKING STIBS YKE LO SENL

ATTN: CHANTAL/LINDA

\*\* KELEKENCED ON IL \*\* \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

LOTAL ITEMS (1-7) I BDL G.W. 286 LBS

2 ....Continued Page:

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER. RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIALELY TNAMATAIOÄMMI SAŠTROGGAR TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE

DATE

THYSSENKRUPP MATERIALS UA Ship Date SOCETS OF THIS ELOW PFW I A D BILLL ING OE :ON **DEG 192323** 

HYMKESBURY,

:oT blos

dts Aycje

ISAO PREKDEEN ST

DART AEROSPACE

Route O Manitest - 0 Tel: 905 669 9444 Fax: 905-738-9033 PREPAID コエヨ CONCORD LOB VIM TRANSFER  $V_{1}a$ Probill

Tel: 613-632-9577 Fax: 613-632-1053 HAWKESBURY, ON Key IK7 1270 ABERDEEN ST DART AEROSPACE :ol qid2 (T

P&K 2Ge

ELT

PBS

IL3

MF PBR

YatanenQ

: LATOT

PPING

8 THR 00.48E -**DG**2

T, sda

T

**BGS** 

ON KEY IKY

**ZLYN** INEKR (802-235-1320)

Trailer

(SULTS)

**5978TT** 

Tag No

OE

I XOUY PO # 18225

ADD ON TO 502927 SUR-CHARGE PAID

FIRMINAM SHEET 6061 T6 OUX Order PEC-503042-

CONCORD, ONTARIO

Surp From:

2821 LANGSTAFF ROAD

2A3E6662

"0000.441 X "0000.84 X mow 0250

Heat Number

LO SHIBBING WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR MITT LEST REPORTS, PACKING SLIPS ARE TO SENT

\*\* KEEEKENCED ON IL \*\* \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* ATTN: CHANTAL/LINDA

BILLL

OL I ZKID GK'M' 354 PB2

CONCOKD; ONT.\* M4 00:4 OT MA 00:9 \* \* \* \*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA

1 ....Continued ₽age:

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RAPPORTEES IMMEDIATEMENT. TOUTES ERREURS ET/OU MARICHANDISES MANQUANTES DOIVENT ÊTRE

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER. RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

RECU EN BONNÉ CONDITIONS / PRÉCEIVED IN GOOD CONDITION

**BTAQ** 

BF bec-192258-001

I/I 84

260012

### KSZENKKNЬЬ WYLEKIYI'S NY

DART AEROSPACE

Signed by:

PART NO. 375" DIAX 144.0000" ÁLUMINUM ROUND BAR 6061-T6511

YTOMINOM EXLKOSION INC.

### Material Test Report

resulting from tests made in approved labs.

We certify that this is a true copy of the report furnished by the producer of the metal, or data

Manifest: 246681

2562353 Ticket:

Ship To: ThyssenKrupp Materials NA

2821 Langstaff Road

Concord, ON L4K 5C6

Part: 05553-000-144 Die: E202223 Cust P.O.: PEC-239667 Our Order: 386184-3

Description: 375 Alloy Temper: 6061 T6511

Print Date: 6/19/12

Elongation 2" gage length 10.8	Yield Your 37.62	'ropertie Ksi nate sile	hgnoris <u>Ultii</u> <u>n<del>o</del>T</u>	-	#10 <sup>-</sup> ]	•	<u>Casi</u>	130414 (II) 29mbje	
21.0 20.0	S1,0	SZ.0	ςε.0	7'1.	<b>č1.0</b>	01.0	۲.0	8.0	xsM
			<b>₽0.0</b>	8.0		21.0		04.0	niM
OtherEach OtherTotal	<u>II</u>	ūΖ	$\overline{\mathbf{C}^{\mathbf{I}}}$	$\underline{\mathbf{g}}\underline{\mathbf{M}}$	$\overline{\mathbf{u}}\underline{\mathbf{M}}$	$\overline{C}u$	<u>रि</u>	<u> </u>	1909
	Sange	I noitieo	Comp	[goimed	<b>၁</b>				

Applicable Specifications ASTMB221-08 QQA200/8

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA LGT 5M1

Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its received by Can Art within 30 days from the date of shipment agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with

Evan Eng, Quality Assurance Mgr.

Ray Hussain - Tensile Testing

### SSENKKUPP MATERIALS UA

DART AEROSPACE

.50" DIAX 144.0000" PART NO. ALUMINUM ROUND BAR 6061-T6511

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

1/1 34 260012 BI PEC-792258-002

DMINDM EXTRUSION INC.

### Material Test Report

2262345 Ticket Manifest: 246680

2821 Langstaff Road Ship To: ThyssenKrupp Materials MA

Concord, ON L4K 5C6

Part: 05233-000-144 Cust P.O.: 239513 Die: E20233

Description: ,500

Alloy Temper: 6061 T6511

Our Order: 386006 - 7

Print Date: 6/19/12

<u>पुत्रीय वृ</u>	Ella Blong	Yield Start	iz <u>əle</u> <u>əli</u>	rength K trength K <u>Ultim</u> Tens	Mechan S Test Date Date	#10.1		Cas <u>i</u>	Z++0£	
\$1.0	\$0.0	\$1.0	SZ.0	₽0.0 ≥£.0	8.0 2.1	\$1.0	01.0 04.0	۲.0	04.0 8.0	niM xaM
ach OtherTotal	OtherB	<u>!I.</u>	$\overline{u}\overline{Z}$	ਹ	₽M	$\overline{uW}$	<u>u⊃</u>	<u>54</u>	₹Ş	1909
		<b>ร</b> รม ซิธ	aition F	Compo	Isəimən	i)				

**40.94** 

21/71/9

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1 Applicable Specifications ASTMB221-08 QQA200/8

IJΨ

£,11

38.27

agreed upon specifications provided written notification is received by Can An within 30 days from the date of shipment incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with

Evan Eng. Quality Assurance Mgr.

Ray Hussain - Tensile Testing

Authorized:

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511 562" DIA X 144,0000" ART NO.

PO/Rel 18225

Certificate of Mill Test Results

260ct12 Pg 1/1

BL PEC-792258-003

Signed by:

SERVICE CENTER METALS Prince George, VA 23875 5850 Quality Way

### We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs

## **CERTIFIED INSPECTION REPORT AND TEST RESULTS** FOR EXTRUDED PRODUCTS

3			
пем		stencil	
оия опрея мимвея 149203	GERTIFICATION	ASTM-B221-12 No Stencil spectramow AMS-QQA-200/8	
	DATE OF SHIPMENT	SALESPERSON David Schroeder	-ightning Rod Tite 0.562 +.004/003
	DIE NUMBER	RD0370 ALLOY/TEMPER 6061-T6511 DESCRIPTION	Lightning Rod Tite
	MANYEST NUMBER	158335. CUSTOMER PO PEC-238691 CUSTOMER PART NÜNBER	RD0370
	. 1		Saupes
	:	als NA PEC	Guarinity Certified 1,352 tos 360 pcs
en week.		ThyssenKrupp Materials NA ##P ro ThyssenKrupp Materials NA PEC	ry certilled
	BILL TO	Thyssen smir ro Thyssen	Till en o

Items produced and certified as 6061-76511 also revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the meet the requirements of 6061-16 description, and that samples representative of the material met the composition limits and had the mechanical properties shown. We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification SCM extrusions are manufactured in the USA from Ingot melted and cast is

Mechanical Properties

Lot No. 201207091 201207091

**Tests** 

	<u>Percent</u> Elongation	14.9			
	<u>Yield Strength</u> (KSI)	48.9 48.7	59	orpa	2AQ pi
in the United States or Canada.	lest Date <u>Ultimate Tensile</u> Strength (KSI)	04/24/12 50.6 04/24/12 50.7			
in the					

Imber         Alloy         Si         Ee         Cu         Mn         Mg         Cr         Zn         Ti         Each         Total           6061         0.76         0.35         0.34         0.09         0.87         0.10         0.06         0.05         0.05         0.15				= 1	Alloy ede								
6061 6.76 0.35 0.34 0.09 0.87 0.10 0.06 0.02 0.05	Cast Number	Allox	ଆ	의	· 리	MD	Mg	ଧ	Z	<b>I</b>	Oth Each	ers <u>Total</u>	Melt Source: United States of America
0.00 0.10 0.10 0.00 0.10 0.00	041425 041523	6061 6061	0.76	0.35	0.34	0.09	0.87	0.10	90.0	0.02	0.05	0.15 0.15	

Doc No. 133986 Indexed 7May12 by slssup1

Calvin J. Wiggins, Director of Quality & Technical Services

### THYSEKRRUPP MATERIALS UA

BF LEC-165528-004

Z/I 284

260ct12

Signed by:

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

PART ACROSPACE
1.00" DLA X 144,0000"
DOWN ROUND BAR 6061-T6511

### CERTIFIED TEST REPORT

moo.munimulAseseX.enilnOll:qth

A SINCATED PRODUCTS

KALAMAZOO, MI 49048 6205 KAISER DRIVE KAISER ALUMINUM

	QA07	THYSSENKRUPP CONCORD, ON LA			<b>GAO</b> F	THYSSENKRUPP N 2821 LANGSTAFF F CONCORD, ON L4P
 		sorp 10:	100			OT 91H2
12.000 FT	1		0877	)9 S:	<b>92.000 PC</b>	1020.000 LB
LENGTH:	:HTGIW	DIAM/DAF/THKNS:	:ЯЗВМОИ	/8	:YTITNAUQ	WEIGHT SHIPPED.
81168T	1909	061 1300A	3/21/2012	60	110	796729
:A34M3T	VELLOY:	KAISER LOT NUMBER:	ETAG 91	ıs	LINE ITEM:	KAISER ORDER NUMBER:
<b>700</b> '-/+000'	RECISION ROD 1.	KAISERSELECT P		2-942310		PEC-241956-11
 	:	иопчирава топоояч	:A38MUN TX	CUSTOMER PA		CUSTOMER PO NUMBER:

### Actual Physical Properties

Tot	Ea T	Z 🟋	स व	a ti	uz zo	PM nM	e Çn	Z. E	STIMIL
		ainder	Кет	munimul	\(\%\tau)\) noi	hisoqmoC	Chemical (		,
A\N	A\N	96	न्नभ	6°91	L.TA	1.25	6	T000	0ET T960#
A\N	A\N	96	KE	12.9	48.2	5.25	8	1000	081 1960#
A\N	A\N	36	BE	16.0	L. TA	8.12	L	1000	081 T960F
$A \setminus N$	A\N	56	EE	6.21	9.13	£.33	9	COOJ	081 T960#
$A \setminus \mathcal{I}$	A\N	96	3E	4.9T	43.4	I.74	ç	COOT	081 T960V
Α\π	A\N	92	BE	7e°5	8.24	0.64	Þ	COOJ	0EI 19607
Α\И	A\N	96	BE	£.81	9.54	2.74	ε	τοοο	0ET T9607
Α\Ν	A\N	92	RE	₱ <b>°</b> 8T	39.65	6.64	2	1000	0ET T95C7
A\N	A\N	65	BE	6°91	£.03	0.42	OT	T000	OEL 19607
A\N	A\N	92	BE	Z*8T	2.84	Þ.6Þ	Ţ	1000	JET 1960#
BEND	CONDUCT.	MESS	TAAH	epongs	TS (KSI)	S(KEI) X	SAMPLE# UT	#H\$YC	KELEKENCE

ToT	Ea	ΣZ	BŢ	প্ত	Ţ.L.	uz	<b>∓</b> 0	6W	пМ	ກວ	E,G	ŢS	STIMIJ
91.0	-50.0	AZ	AN	AN	SI.0	52.0	25.0	1.20	0.15	010	07.0	08.0	титіхьМ
00.0	00.0	ΑV	$\mathbf{A}_{Z}^{\prime\prime}$	AN	00.0	00.0	₹0.0	C8.0	0010	51.0	00.0	07.0	munitaiM
60.	₽0.	00.	ε¢.	το.	20.	90.	80,	66.	6C°	₽ε.	Ib'	₽7.	H42638

Applicable Requirements:

PER ASTM-B221-12, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/6 (2007) UNS# A96C61 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELRVAHED MIN ELONGATION MECHANICAL PROPERTIES AS FOLLOWS: UTS ~ 42.0 KSI MIN YIELD = 36.0 KSI MIN ELONGATION = 10.0% MIN

Miscellaneous Notes

MANUFACTURED IN USA (SHERMAN, TX) MELTED IN USA

Plant Serial: 00060883

Kaiser Order Number: 627967

Line Item: 01

Page 1 of 2

### THYSSENKRUPP MATERIALS NA

BL PEC-792258-004 260412

Signed by:

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. DART AEROSPACE ALUMINUM ROUND BAR 6061-T6511 1.00" DIAX 144.0000" PART NO.

### **СЕВТІГІЕ** ТЕЗТ ВЕРОВТ

moo.munimulAsesieX.enilnOll:qttd

MUNINUA STOUGOSTED PRODUCTS

KAISER ALUMINUM 1205 KAISER DRIVE KALSER DRIVE KALOMINUM

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been impected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form, Any warranty is limited to that shown on Raiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Calvin Latting, Quality & Technology Managor

Plant Serial: 00060883 Kaiser Order Number: 627567

Line Item: Cll

Bage 2 of 2

2/I 3d

260ct12

### LHASSENKENB WYLEKIYI'Z NY

ZiSueq ph: Br bEC-192258-005 FURGE 18225

We carify that this is a true copy of the report
tumished by the producer of the metal, or data
tumished by the producer of the metal, or

PART AEROSPACE ALUMINUM ROUND BAR 6061-T6511 1.250" DIA X 144.0000"

### CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com



### ASINANA STADINGATE STOUDING ST

KALAMAZOO, MI 49048 \$306 KAISER DRIVE FABRICATED PRODUCTS, LLC KAISER ALUMINUM

	QAOR1	THYSSENKRUPP 2821 LANGSTAFF CONCORD, ON L4		ďΣ	THYSSENKRUPP MAT CONCORD, ON L4K 56
		SOLD TO:			:OT 9IHS
12.000 FT			604422	000 bcs	1004.000 LB 58
:ншолы	:HTGIW	DIAM/DAF/THKNS:	B/L NUMBER:	:YTITN:	WEIGHT SHIPPED: QU/
811891	1909	40964-105	2102/41/60	7	00 981728
TEMPER	ALLOY:	KAISER LOT NUMBER:	SHIP DATE:	:Mati	KAISER ORDER NUMBER: LINI
200\+032.	RECISION ROD 1	KAISERSELECT P		R76/STK	PEC-241687-2
		PRODUCT DESCRIPTION	:ABAMUN TRA9	REMOTEUR	слатомек Ро инмвек

### Actual Physical Properties

BEND	CONDUCT.	SSEN	TAAH	EFONG#		XIS (KEI)	UTS (KSI)	SAMPLE#	DYZH#	KEEEKENCE
A\N	A/N	56	Ξ£	15.5		₽.7₽	₽°°2	ī	1000	40664-105
$A \setminus N$	A\N	92	ΞE	12.5	•	Z. TA	T'T⊆	οτ	1000	901-19601
$A \setminus M$	A\N	92	ΈΕ	8°ZT		0°9⊅	8.0⋶	7	1000	50T-#960#
$A \setminus N$	A\N	26	ЯЯ	12,3		€*8₺	8.Sē	ε	1000	901-19601
$A \setminus N$	A\N	92	KE	12.5		ε.6₽	₹.54	Þ	1000	901-19601
Α\Ν	A\N	65	RE	12.8		C*67	8.22	ç	1000	901-79607
$A \setminus N$	A\N	26	BE	12.3		<b>た</b> でラS	6.78	9	1000	901-1960t
$A \setminus N$	A\N	92	38	12.5		T.42	5.72	1.	1000	901-⊅960₹
$A \setminus X$	A/N	76	BE	12.8	:	7.02	₽ <b>"</b> ₽9	8	TCGO	907-19607
$A \setminus X$	A\N	26	BE	12.3		Ò,7 <u>4</u>	L-02	6	TOCC	901-19601
		nəbnia	Rems	munimul	<b>∀</b> '(%	% <b>Jw</b> ) noitie	sodmoO le	Chemics		,

	80.0	VN ZZ	AN	AM AM		02,1					Maximum
00.0 E0.	00.0	ΑΝ 00.	AN IO.	AN 10.	00.0 60.	 96.0	00.0 01.	6Z.	00.0 68.	₽∠.	142805 Yrurum

### Applicable Requirements:

PER ASTM-B221-12, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 (2007) UNS# A96061 MESTS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.0 KSI MIN YIELD = 38.0 KSI MIN ELONGATION = 10.0% MIN

### Miscellaneous Notes

MANUFACTURED IN USA (SHERMAN, TX) RELTED IN USA

Plant Serial: 00059695

Kaiser Order Number: 627185 COO :mail anil

PE/11/61 240

Page 1 of 2

### LHASSENKKINDD WYLEKIYTS NY

DART AEROSPACE

Z/Z &4 260ct12 BL PEC-792258-005 Signed by:

resulting from tests made in approved labs. furnished by the producer of the metal, or data We certify that this is a true copy of the report

PART NO. 1.250" DIAX 144.0000" ALUMINUM ROUND BAR 6061-T6511

### CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

FABRICATED PRODUCTS

KALAMAZOO, MI 49048 2502 KAISER DRIVE FABRICATED PRODUCTS, LLC KAISER ALUMINUM

CEKLILICYLION

Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Calvin Latting, Quality & Technology Manager

Kaiser Order Number: 627185 Plant Serial: 30059695

Line Item: 002

Sage 2 of 2

### *KASENKKUPP MATERIALS NA*

BF bec-19228-006

2/1 **3**4

**260ct12** 

Signed by:

resulting from tests made in approved labs. furnished by the producer of the metal, or data We certify that this is a true copy of the report

ALUMINUM ROUND BAR 6061-T6511 1.50" DIA X 144.0000" PART NO. DART AEROSPACE

### CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com





KALAMAZOO, MI 49048 2502 KAISER DRIVE FABRICATED PRODUCTS, LLC KAISER ALUMINUM

		<b>QAOR</b>	CONCORD, ON LA 2821 LANGSTAFF THYSSENKRUPP			GAOR	THYSSENKRUPP I CONCORD, ON LA
			:0T Q108				:01 qiHS
-	T-1 000.21			08 <b>77</b> 09	SO	∃ 000.48	2094.000 LB
1	LENGTH:	:HTQIW	DIAM/DAF/THKINS:	B\F N\MBEB:	, 	CUANTITY:	WEIGHT SHIPPED:
	81120T	1909	Z00262042	2102/12(60		010	196129
Ĺ	:ЯЭЧМЭТ	ALLOY:	KAISER LOT NUMBER:	SHIP DATE:		LINE ITEM:	KAISER ORDER NUMBER:
	900:-/+009:	RECISION ROD 1	KAISERSELECT P	68	ALRD003		PEC-241956-10
		;	Р <u>корист ре</u> зски <del>рт</del> юм	PART NUMBER:	CUSTOMER		CUSTOMER PO NUMBER:
				· —		01-061	MALMINAZOO, INI

### Actual Physical Properties

	J	əbnia	Rema	munimul	A ,(	%łw) noitis	al Compos	Chemic		
Α\N	∀/N	06	BE	Z*9T	. ,	1.61	6°TS	72	T000	ZDCZ62042
Α\N	Α\N	96	38	£.8I		9.02	8.28	ΤΤ	7000	Z0029Z00Z
Α\И	Α\Ν	76	ਤਬ	L'9T		9'67	6.13	OT	1000	Z70Z9ZC0Z
Α\Ν	A\N	56	ΞЯ	16.4		2.12	3.55	6	T000	Z50Z9Z00Z
$A \setminus K$	A\N	₹6	EH	16.8		FC.7	8.25	e	1000	Z40Z9Z00Z
A\N	A\N	26	E.	₽*9I		€.81	T.1.2	L	T000	Z00Z9Z00Z
$A \setminus N$	A\N	<b>P</b> 6	BE	9.91		1,22	£ • 5 G	9	CCOI	Z00Z9Z00Z
A\N	A\N	63	সর	7.91		0.03	52.3	ς	0000	Z00Z9Z00Z
A\N	A\N	26	BE	6.21		9 * 8 7	5.18	Þ	T000	Z0029Z00Z
A\N	A\N	56	ИE	L.91		52.28	₱°₱S	ε	1000	Z00Z9Z00Z
A\N	Α\N	95	ΞĦ	9.81		8.84	5115	7	T000	Z00S9SC4S
A\N	A\N	96	BE	6°9T		€.02	9.28	τ	τοοο	Z00Z9Z00Z
BEND	CONDUCT.	OMESS	ІЯАН	etongs		als (ksi)	UTS (KSI)	Symbie#	#HSYC	<b><i>YEEEKENCE</i></b>

Ь	_ <del></del>												70	OUINII
	ToT	<b>E 3</b>	<b>77</b>	TE	वद	ŢΙ	uz	ΞЭ	БW	un	ກວ	B.F	ŦS	LIMITS
	5T.0	50.0	AN	AN	ΑN	0'72	CS.C	35.0	1.20	3I.0	07°C	07.0	08.0	mumixeM
	00.0	00.0	AN	AN	AN	00.0	00.0	50-0	0.80	00.0	SI.C	00.0	010	muminiM
	εο.	IC.	00.	00.	cc.	εο.	čΟ.	60°	ε6.	60,	82.	εε.	9L.	T01825

### Applicable Requirements:

NIM %0'CI = MECHANICAL PROPERTIES AS FOLLOWS: UTS - 42.0 KSI MIN YIELD = 38.C KSI MIN ELONGATION PER ASTM-B221-12, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 (2007) UKS# A96061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM

Miscellaneous Notes DAO salvaneous Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Plant Serial: 00060881

True Trem: 010

Kaiser Order Number: 627967

Page 2 of 2

### THYSSENKRUPP MATERIALS NA

BL PEC-792258-006 260ct12

Pg 2/2

Signed by:

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. PART NO. ALUMINUM ROUND BAR 6061-T6511 1:50" DIA X 144.0000"

### CERTIFIED TEST REPORT

moo.munimulAtasisA.sailnOlligith

ALUMINUM STOUGUSS STOUGUSS

KAISER ALUMINUM 1205 KAISER DRIVE KALSER DRIVE KALAMAZOO, MI 49048

CERTIFICATION

Raiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been imprected and rested and found in conformance with applicable specifications forming a part of the description set forth in Raiser's sales acknowledgement form, Any warranty is limited to that shown on Kaiser's general Lerms and conditions of sale. Test reports are on file, subject to examination.

Calvin Latting, Quality & Technology Manager

Plant Serial: 00060881 Kaiser Order Number: 627967

Eage 2 of 2

BT bec-192258-007

### HASSENKKINDP MATERIALS NA

DART AEROSPACE

resulting from tests made in approved labs. furnished by the producer of the metal, or data We certify that this is a true copy of the report

PART NO. STAINLESS STEEL FLAT BAR 30AL SLIT/EDGED ... S0" X 4.00" X 144.0000"

EN 10204,2,2

Specification:

VENDOR: ALS

1/1 g4

260012

### PHOENIX TUBE COMPANY, INC.

**CERTIFICATION OF TEST** Manufacturer of Stainless Ornamental and Structural Tubing

**GAOR FIATEONAL ISBS** Ship To: THYSSENKRUPP MATERIAL, NA

Ext:

ON FOR

**DAOR HATEBUAL ISSS** Sold To: THYSSENKRUPP MATERIAL, NA

NYO T4K CONCORD

ORDER# 286850 CUST REF NBR: Phone# 6699444 CUSTOMER ORDER#: PEC-242141

11-084 AS BMSA

HEAT# 838388 SOURCE: USA D NO MEID: BAR GRADE: 304L SIZE: 4" X 1/4" HRAP QTY SHIPPED: 530.0 DATE SHIPPED: 09/24/12

TEST REPORT#: TR010563

NYO

Signed by:

CONCORD

Report Date: 08/30/12

QQ-5-766D, COND. A 11-08PAMTSA NO WELD REPAIR AMS-QQ-S-Y63F, COND. A LE F S S MANH F F S S MA LY488 2MA & HEE8E 2MA 80-484A2 BM2A **O1-674A2 BM8A** 01-999A MT2A MILS 5059D AMEND 3 O1-484A MTSA 11-674AMISA E010E / 0010E #SNA соввозіой ок, нвар FINANCE SAZ40-11 ASME SA276-08 COND. A TYPE 304L/304 DUAL CERTIFIED ASTM A240-118 ASTM A262, PRACTICE E 01-37SAMTSA СНЕМІЗТЯУ ТНІЅ СОГИМИ:

NACE MR0175/01 / MR0103

RAPIDLY TO PREVENT CARRIDE PRECIPITATION. MATERIAL HAS BEEN HEATED TO A MINIMUM OF 1800 DEG. F AND IS SUBSEQUENTLY COOLED OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION. MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VINCITY

Chemical Analysis

0	70.	a	<b>44</b>	ec.	60.8	£5.81	04.	£10.	160.	1.52	Ero.
П	ZN	co	cn	OW	IN	ЯЭ	IS	S	d	NW	2

Physical Analysis

73 3	нто	3718	TENS	רם		
Percent RA	Percent EL	AqM	ISd	A9M	ISd	Esenbish
<del>19</del>	99	0	00016	Q	00624	88 8A

Melted & Manufactured in the USA FAR BAR compiles, DFARS BAR compiles, FAR TAR compiles PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM. THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS.

PE/11/6/ (2)

CERTIFIED BY:

FAX NUMBER: 610-865-4073 1185 WIN DR. BETHLEHEM, PA., 18017 - (610) 866-5337 Doc No. 144602 Indexed 17Oct12 by slssup1

PAGE 05

Phone: (800) 367-2586 Trentwood Works - Spokane, WA 99215 WONIWOTY

### CERTIFIED TEST REPORT

EST8724 Serial Number

> BOLINGBROOK, IL 60490 **UNIT D** 905 CARLOW DRIVE COPPER & BRASS SALES :OT 9(HE

SOUTHFIELD, MI 48086 9116 xo8 .0.9 ATTN: ACCOUNTS PAYABLE COPPER & BRASS SALES SOLD TO:

(MM 8.738E)	NI 000,44r	Ja's ww	NI 000.84		0.03Z0 N		S038S2		493 PC\$	87 2080L
<u> </u>	LENGTH:		HT FISE S		BARE	1909	TRUCK BY		THINAUD	1140063 WEIGHT SHIPPED:
	iNO		d TOUGOSE	:ЯЗЧМЭТ ЭТ				AQ WHE	רואב ודכאו:	1
			41/L9t			FLR01843				\$1 <b>60</b> \$100 <del>1</del> 8
	: MESMUN TOANTHO	GOAL C	RUN/LOAD:	dIH8	SHEWIN L	FRAG REMOTE	YOF CO	K PACK	MO	CUSTOMER PO NUMBER

WHN 1629089: LOT 610815A3: 104 pleces; WHO 1627669; LOT 599936A2: 175 pieces; WHA 1627545; LOT 599936A2; 39 pieces;

(sepeid 871 :EA818018 TOJ :8808581 UHM

Certified Specifications

OIVef/60S 8 MT2A

10.0

٨

00.0

HZ

0.21:2.11

% noitegnol∃

VEWE 28 SOS/Hensoot

NVBRITSOF SMA

Test Results

L Jobut J

(A9M) ISX essmittiU

ASU ni barieM

TOT

Brop DE

80.0

NW

Cast 880

&'O

\$£,0

LT / 2 (Min:Max)

S1391 # / 110

Cn

SA858688 :10J

Test Code: 1511

(ABTM E8/8557)

:elisue1 (EN 3002-1)

reqmeT

91

(PSTM E1251)

(%1w)lsutoA 97.0 Chemistry: IS

PS/01/5/ 200

(908: 606)

6,44: 8,64

Yield KSI (MPA)

\$0.0

IL

410

NZ

81.0

AD.

0.1

MC

(176:986)

t'67 : 8'87

2402128040

Sage 1 of 2

30.0

**ABHTO** 

**DEC - 543035** FO:

DGT:

Mar:

:azea

I13.408 LB

Date: 10/24/2012

Cust: THYSSENKRUPP MATERIALS NA - ECAD

From: Copper and Brass Sales

### CERTIFIED TEST REPORT

4278723 Serial Number

**WINNIW** 

Trentwood Works - Spokane, WA 99215

8882-78E (008) :enorig

						rabnisma	A munimul	4				
31,0	TOT	<b>90</b> .0	90.0	81.0	97'0	35.0	Z.1	31.0	04.0	<b>T.O</b>	8.0	(%1w)XAM
30.0	HOAB	00.0	00.0	00.0	00.0	40.0	8.0	00.0	31.0	0.0	0+.0	6081 MIN(wt%)
XAM	FI3HTO	HŻ	٨	IT	NZ	ยว	MG	NW	no	크크	1\$	
						STIM	J YOJJA					
<b>+0.0</b>	TOT	00.0	10.0	20.0	91.0	81.0	0. f	80.0	15.0	<b>3.0</b>	87.0	(%1w)leutoA
REHTO	# <del>^</del>	NZ	Λ	11	NZ	RO	ĐW	NW	cn	크늬	IS	Chemistry:
03/7.20		~~	•	,-	,,,_						1	(PSTM E1251)
				(+4	(272 : 5	(8	efe : 175)					
		11:7.11		7.6	39.65	1	.24 : 1.34	(х	BM:n/M)			1
	% ⊔	lotagnol3		(A9M) is	Yield K	(A9M) 12	Ultimate K		\$789T ¥	t \ viO	tegme	
												(EN 2002-1)
											(2	288/83 MT2A)
ACU ni bətləM					£ Jogn	IJ	≯l da	MQ.	088	138D E	Aarsora Jos	

### TEST NOTES

4027 also meets applicable requirements of AMS-00-A-zeo/11, SMM TO ,2504 RMS 4025 AMS 4026, DMS 4026, OF AMS

CERTIFICATION

possess in large and an arrangement of the second s

2 to 2 9269

JAMES HEMENWAY, LABORATORIES SUPERVISOR

From: Copper and Brass Sales

**DEC** - 543035 FO: DGI: \$405158040 Cust: THYSSENKRUPP MATERIALS NA - ECAD

Date: 10/24/2012

173.408 LB Mar:

Part:

Purchase Order ID PO18225

PO Print Date 10/23/12 Purchase Order Date 10/23/12

Page Number 1 of 4

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



AC-COb001

TORONTO, ON MSW 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD

DART AEROSPACE LTD

**EE06 8EL 506** 

Contact Name

Order From:

**CA** 

Vendor Phone

Vendor Fax

Vendor Account Nbr

: oT qid2

1270 ABERDEEN

**CANADA** HYMKESBURY, ON K6A 1K7

Mfg ID Red Date/ Description/ Line Nbr Reference

"275. 188 bnuoA 9T-1808

Mevision ID

Vendor Part Number

M6061T6R0.375

710

てり

M6061T6R0.500

7

6061-T6 (OR 6061-T651/ T6510/ T6511/ Special . E.

**ISSE MISA AO IISE MISA AO** (0914 SMA OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR

T62) ROUND BAR

Yes

Taxable Unit of Measure

**EOB** 

Currency

Tax Resale Nbr

Requisition Nbr

Terms

Buyer

10/30/15

10/30/15

\*002. n. 3 bnuoA 2T-1300\*

χęs

(9111/5111/8711/L114 SMA) QQ-A-225/8 OR AMS-QQ-A-225/8 OR

Special Inst:

\$1.2000

7140.18

Unit Price

Yours ppd

Yours ppd

Destination-Collect

CVD

Net 30

10127-75101

Chantal Lavoie

24.00

24.00

Red Oty/ Ship Method

08.82\$

00.22\$

Price

Extended

QQ-A-225/8 OR AMS-QQ-A-225/8 OR T62) ROUND BAR 6061-T6 (OR 6061-T651/ T6510/ T6511/

(AMS 4117/4128/4115/4116)

(0914 SMA AO( 8\002-A-200\8 AMS-QQ-A-200\8 )OR

OR ASTM B211 OR ASTM B221

Certificate of Conformity of Material consent. No substitution or deviation without

Certification required - YES ON

Change Date: 71/27/01

Change Nbr:

7

### Purchase Order ID PO18225

PO Print Date 10/23/12 Purchase Order Date 10/23/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 2 of 4

THYSSENKRUPP MATERIALS CA LTD AC-COb001

TORONTO, ON M5W 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"

**EE06 8EL 506** 

**\*\*\*\*** 699 \$06

Vendor Phone Contact Name

Vendor Fax

Vendor Account Nbr

M6061T6R0.563

10/30/15

6061-T6 ROUND BAR

213

8703.0\$

Yours ppd 204.00

£95.

χes

T62) ROUND BAR 6061-T6 (OR 6061-T651/ T6510/ T6511/

QQ-A-225/8 OR AMS-QQ-A-225/8 OR

OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR (9111/S1118/8711/L114 SMA)

OR ASTM B211 OR ASTM B221

(0914 SMA

ROUND BAR 1.00"

M6061T6R1,000

7914.2\$

Yours ppd

12.00

10/30/15

810

Special Inst:

Yes

\I123T \0123T \123T \1303 AO) \\ \text{3T-1303}

Special Inst:

OR QQ-A-200/8 DR AMS-QQ-A-200/8 )OR (AMS 4117/4128/4115/4116) QQ-A-225/8 OR AMS-QQ-A-225/8 OR

T62) ROUND BAR

(0914 SMA

OR ASTM B211 OR ASTM B221

(0914 SMA

consent.

12.00

T62) ROUND BAR

Certification required - YES

Certificate of Conformity of Material

No substitution or deviation without

6061-T6 (OR 6061-T651/ T6510/ T6511/

OR QQ-A-200/80R AMS-QQ-A-200/8 )OR

Χes

810

OR ASTM B211 OR ASTM B221

(9114/5114/8714/11t SWY) QQ-A-225/8 OR AMS-QQ-A-225/8 OR

M6061T6R1.250

Yours ppd

10/30/15

6061-T6 Round Bar 1,250

ON

00.08\$

00.62\$

8153.99

Destination-Collect CAD Net 30

10127-2607

Chantal Lavoie

FOB

Currency

Tax Resale Nbr

Requisition Nbr

Buyer

Terms

Special Inst:

Order From:

CA

7

### Purchase Order ID PO18225

PO Print Date 10/23/12 Purchase Order Date 10/23/12

> Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.

Fax: 613 632 1053



Page Number 3 of 4

AC-COb001

O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD

**EE06 8EL 906** 

₱₱₱₽ \$06

**CA** LOKOALO, ON MSW 5V8

Vendor Phone Contact Name

Order From:

Vendor Fax

Vendor Account Nbr

M6061T6R1.500

810

Special Inst:

6061-T6 (OR 6061-T651/ T6510/ T6511/

QQ-A-225/8 OR AMS-QQ-A-225/8 OR T62) ROUND BAR

Yes

FOB

Currency

Tax Resale Nbr

Requisition Nbr

Terms

Buyer

10/30/15

(9114/\$114/8ZI+/LI14 SMA)

OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR

OR ASTM B211 OR ASTM B221 (0914 SMA

Yes

10/30/15

0c.1 na bnuo 8 ar 1.50

"250.0 155dZ 5T-1506

M6061T6S.032

100

Special Inst:

Special Inst:

SHEEL M,ATERIAL: 6061-T6/T62 ALUMINUM

AS PER QQ-A-250/11 OR AMS-QQ-A-

OR AMS 4025 OR AMS 40327 OR ASTM

8 SHEET 4' X 12' = 384 SF

χes

10/30/15

304 BAR .250 x 4.00

M304B0.250X4.000

100

AISI 304/316 SS PLATE MATERIAL: AISI 304/316 SS BAR OR

bqq siuoY 00.84

Yours ppd

Yours ppd

CVD

**Net 30** 

10127-2607

Chantal Lavoie

Destination-Collect

384.00

ال- 17.00

NOTE: AISI 303 NOT ACCEPTABLE AS PER ASTM A276 OR ASTM A240

No substitution or deviation without

8074.78

\$281.2\$

\$4.3333

09.825\$

00.048\$

\$25.00

Certification required (NES) ON Certificate of Conformity or Material 10/23/15 Change Date:

Change Nbr:

7

### Purchase Order ID PO18225

PO Print Date 10/23/12 Purchase Order Date 10/23/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 4 of 4

0080.48

ЛС-СОЬ001

TORONTO, ON MSW 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD

**EE06 8EL 506** 

*₱₱₱*6 699 \$06

**CA** 

Order From:

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

BAR .125" X 4.00" X 144" 304 STAINLESS FLAT

Езср 00.009

Yours ppd

CVD

Net 30

10127-2607

Chantal Lavoie

Destination-Collect

Deliver To: WATER JET

Χes

LOB

Currency

Tax Resale Nbr

Requisition Nbr

Terms

Buyer

10/30/15

65.716,58

\$5,430.00

:IstoT Oq

REO'D UPON DELIVERY MATERIAL CERTIFICATION

Certification required (- YES Certificate of Conformity of Material consent. No substitution or deviation without Change Date: 10/23/12

Change Nbr: